

Republic of the Philippines

Department of Education

PROCUREMENT MANAGEMENT SERVICE

BAC SECRETARIAT DIVISION

SUBJECT

BID BULLETIN No. 3

PROJECT NO.

2024-AdmS2(025)-BIII-CB-066

PROJECT

Procurement of Furniture and Fixtures

DATE

January 15, 2025

This Bid Bulletin is hereby issued for the information and guidance of all prospective bidders and shall form an integral part of the bidding documents issued earlier for the above project.

1. Section I. Invitation to Bid, Item 7, page 9, is hereby amended to be read as follows:

> "Bids must be duly received by the BAC Secretariat on or before 1:00 P.M. (Philippine Standard Time), of January 23, 2025 at Bulwagan ng Karunungan, Ground Floor, Rizal Building, DepEd Complex, Meralco Ave., Pasig City. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

> > Late bids shall not be accepted."

2. Section VIII. Technical Specifications, Item no. 1, page 41 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|--------------------|--|---|
| Executive Table | Material: Medium Density Fiber Board in High Pressure Laminate Finish with built in desk wire hole (70mm diameter with grommets or cover) Dimension (± 10mm): W 1800mm - 2000mm D 800mm - 900mm H 750mm Color: Beech QTY: 1 unit | Material: Medium Density Fiber Board in High Pressure Laminate Finish with built in desk wire hole (70mm diameter with grommets or cover) Dimension (± 10mm): W 1800mm - 2000mm D 800mm - 900mm H 750mm Thickness: 25mm-40mm Color: Beech Stained Oak QTY: 1 unit |







Material: Medium Density Fiber Material: Medium Density Fiber Board in High Pressure Laminate Board in High Pressure Laminate Finish with built in desk wire hole Finish with built in desk wire hole (70mm diameter with grommets or (70mm diameter with grommets or cover) Dimension (± 10mm): Dimension (± 10mm): W 1600mm- 1800mm W 1600mm- 1800mm D 800mm- 900mm D 800mm- 900mm H 750mm H 750mm Color: Beech Thickness: 25mm-40mm QTY: 49 units Color: Beech Stained Oak QTY: 49 units

3. Section VIII. Technical Specifications, Item no. 3, page 42 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---------|---|---|
| Back | Material: 0.6mm cold rolled steel sheet in powder coated finish w/2.5thk ordinary glass, normal lock and key Dimension (± 10mm): W 1800mm -2000mm D 450mm H 740mm Color: Mahogany QTY: 1 unit | Material: 0.6mm cold rolled steel sheet in powder coated finish w/ 2.5thk ordinary glass, normal lock and key Dimension (± 10mm): W 1800mm -2000mm D 450mm H 740mm Color: Beech Stained Oak QTY: 1 unit |
| Cabinet | Material: High-pressure melamine laminated particle board with 4 doors Dimension (± 10mm): W 1185mm-2000mm D 400-450mm H 750 mm Color: Beige OTY: 49 units | Material: High-pressure melamine laminated particle board with 4 doors Dimension (± 10mm): W 1185mm-2000mm D 400-450mm H 750 mm Color: Beech Stained Oak QTY: 49 units |

4. Section VIII. Technical Specifications, Item no. 4, page 43 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---------|-----------------------------------|-----------------------------------|
| | Material: High Pressure Melamine | Material: High Pressure Melamine |
| | Laminated Particleboard, with 1 | Laminated Particleboard, with 1 |
| | swing door cabinet and 3 drawer | swing door cabinet and 3 drawer |
| | cabinet w/ central lock mechanism | cabinet w/ central lock mechanism |
| | Dimension (± 10mm): | Dimension (± 10mm): |
| | W 1300mm-1500mm | W 1300mm-1500mm |
| | D 480mm | D 480mm |
| | H 670 mm | H 670 mm |
| | Color: Wengue | Color: Beech Stained Oak |
| | QTY: 1 unit | QTY: 1 unit |
| Side | Material: High Pressure Melamine | Material: High Pressure Melamine |
| Cabinet | Laminated Particleboard, 3 drawer | Laminated Particleboard, 3 drawer |
| | cabinet w/ central lock mechanism | cabinet w/ central lock mechanism |
| | Dimension (± 10mm): | Dimension (± 10mm): |
| | W 800mm - 900mm | W 800mm - 900mm |
| | D 400mm | D 400mm |
| | H 670 mm | H 670 mm |
| | Color: Beech | Color: Beech Stained Oak |
| | OTY: 49 units | QTY: 49 units |



Section VIII. Technical Specifications, Item no. 5, page 43 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|----------|---|------------------------------------|
| | Material: PVC Flush type handle, 3 | Material: PVC Flush type handle, 3 |
| | Drawer Laminated Finish w/ | Drawer Laminated Finish w/ |
| | central lock; interlock system | central lock; interlock system, |
| | Dimension (± 10mm): | without frame |
| | W 500mm | Dimension (± 10mm): |
| | D 700mm | W 500mm |
| | H 680 mm | D 700mm |
| | Color: Cherry Walnut | H 680 mm |
| | QTY: 1 unit | Color: Beech Stained Oak |
| | The Advantage of the Control of the | QTY: 1 unit |
| Pedestal | Material: Flush type handle, 3 | Material: Flush type handle, 3 |
| Drawer | Drawer Laminated Finish w/ | Drawer Laminated Finish w/ |
| | central lock; interlock system | central lock; interlock system |
| | Dimension (± 10mm): | without frame |
| | W 400mm | Dimension (± 10mm): |
| | D 700mm | W 400mm |
| | H 680 mm | D 700mm |
| | Color: Beige | H 680 mm |
| | OTY: 49 units | Color: Beech Stained Oak |
| | State of the second | QTY: 49 units |

6. Section VIII. Technical Specifications, Item no. 6, page 44 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|--------------------|---|--|
| Visitor's Chair | Material: Midback leather finish chair, high quality steel chrome legs with armrest Dimension (± 10mm): W 510mm D 520mm H 800mm Color: Black QTY: 128 units | Material: Backrest-Mesh fabric in nylon fiberglass; Seat-Density Mold Foam Cushion fabric; with armrest sled type Dimension (± 10mm): W 510mm D 520mm H 800mm Color: Black QTY: 128 units |

7. Section VIII. Technical Specifications, Item no. 10, page 46 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---------------------|---|---|
| End Table (sofa) | Material: 18mm MFC Laminated Finish drawer and powder coated frame with glider Dimension (± 10mm): W 600mm D 600mm H 450 mm Color: White QTY: 2 units "Material: Composite wood & Square type tube stand; engineered particleboard Dimension (± 10mm): W 600mm D 600mm | Material: 18mm MFC Laminated Finish drawer and black powder coated frame with glider Dimension (± 10mm): W 600mm D 600mm H 450 mm Color: Beech Stained Oak QTY: 2 units "Material: Composite wood & Black Square type tube stand; engineered particleboard Dimension (± 10mm): W 600mm D 600mm |



H 450 mm
Color: Wengue
QTY: 98 units

H 450 mm
Color: Beech Stained Oak
QTY: 98 units

8. Section VIII. Technical Specifications, Item no. 11, page 47 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|--------------|------------------------------|--------------------------------------|
| | Material: 18mm MFC Laminated | Material: 18mm MFC Laminated |
| | Finish with glider | Finish with glider |
| | Dimension (± 10mm): | Dimension (± 10mm): |
| | W 1200mm -1300mm | W 1200mm -1300mm |
| | D 600mm | D 600mm |
| | H 350mm | H 350mm |
| Center | Color: White | Color: Beech Stained Oak |
| Table (sofa) | QTY: 1 unit | QTY: 1 unit |
| | "Material: Medium density | "Material: Medium density fiberboard |
| | fiberboard finish | finish |
| | Dimension (± 10mm): | Dimension (± 10mm): |
| | W 700mm-800mm | W 700mm-800mm |
| | D 450mm | D 450mm |
| | H 350mm | H 350mm |
| | Color: Mahogany | Color: Beech Stained Oak |
| | QTY: 15 units | QTY: 15 units |

9. Section VIII. Technical Specifications, Item no. 12, page 47 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---------|--|--|
| | Material: Ecological Panel | Material: Ecological Panel |
| | Melamine Faced particleboard | Melamine Faced particleboard w/ |
| | w/gray stone tadao finishing. | laminate finish. |
| | Dimension (± 10mm): | Dimension (± 10mm): |
| | W 1600mm-1800mm | W 1600mm-1800mm |
| | D 400mm | D 400mm |
| D: 1 | H 2000mm | H 2000mm |
| Display | Color: Grey | Color: Beech Stained Oak |
| Cabinet | QTY: 1 unit | QTY: 1 unit |
| | "Material: High-pressure laminated particle board with shelves and | "Material: High-pressure laminated particle board with shelves and glass |
| | glass door | door |
| | Dimension (± 10mm): | Dimension (± 10mm): |
| | W 800mm-1000mm | W 800mm-1000mm |
| | D 400mm | D 400mm |
| | H 2000mm | H 2000mm |
| | Color: Light Grey | Color: Beech Stained Oak |
| | QTY: 49 units | QTY: 49 units |

10. Section VIII. Technical Specifications, Item no. 13, page 48 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|--------------|--|---|
| Coffee Table | Material: Table Top Clear glass; Top and base in tempered glass. Dimension (± 10mm): Diameter 700mm | Material: Table Top Clear glass with metal frame and legs; Top and base in tempered glass. Dimension (± 10mm): |
| | H 750mm 12mm thk top base | Diameter 700mm H 750mm |
| | Color: Black QTY: 1 unit | 12mm thk top base Color: Black QTY: 1 unit |



g 9m

Material: Beech MDF laminated Material: Oak veneer MDF (18mm) thk w/ black metal frame laminated (18mm) thk w/ metal Dimension (± 10mm): frame Diameter 700mm Dimension (± 10mm): Diameter 700mm 750H mm 12mm thk top base 750H mm Color: Beech Stained Oak and Black 12mm thk top base Color: Black QTY: 15 units QTY: 15 units

11. Section VIII. Technical Specifications, Item no. 14, page 48 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---|---|---|
| Small Conference Table (8seater) | Material: 30 mm HPL Laminated Finish top, 25mm legs and modesty panel w/ Built in Outlet and Wire Management Dimension (± 10mm): W 2000mm-2100mm D 900mm-1000mm H 750mm Color: Oak Grey QTY: 35 units | Material: 30 mm HPL Laminated Finish in 2mm PVC Edge band, Metal legs in 2x2 metal steel powder coated finish w/ gliders and Built in Outlet and Wire Management Dimension (± 100mm): W 2100mm-2400mm D 900mm-1000mm H 750mm Color: Beech Stained Oak OTY: 35 units |

12. Section VIII. Technical Specifications, Item no. 15, page 49 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|------------|----------------------------------|----------------------------------|
| | Material: 30 mm HPL Laminated | Material: 30 mm HPL Laminated |
| | Finish top, 25mm legs and | Finish in 2mm PVC Edge band, |
| | modesty panel w/ Built in Outlet | Metal legs in 2x2 metal steel |
| Long | and Wire Management | powder coated finish w/ Built in |
| Conference | Dimension (± 10mm): | Outlet and Wire Management |
| Table | W 2400mm -2500mm | Dimension (± 100mm): |
| (10seater) | D 1200mm-1300mm | W 2800mm -3200mm |
| | H 750 mm | D 1200mm-1300mm |
| | Color: Oak Grey | H 750 mm |
| | QTY: 19 units | Color: Beech Stained Oak |
| | 878 | QTY: 19 units |

13. Section VIII. Technical Specifications, Item no. 16, page 49 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---|--|--|
| Long Conference Table (15seater) | Material: 30 mm HPL Laminated Finish top, 25mm legs and modesty panel w/ Built in Outlet and Wire Management Dimension (± 10mm): W 4300mm-4400mm D 1400mm-1500mm H 750mm. Color: Oak Grey QTY: 7 units | Material: 30 mm HPL Laminated Finish in 2mm PVC Edge band, Metal legs in 2x2 metal steel powder coated finish w/ gliders and Built in Outlet and Wire Management Dimension (± 100mm): W 4200mm-4800mm D 1400mm-1600mm H 750mm. Color: Beech Stained Oak OTY: 7 units |

834

of go

14. Section VIII. Technical Specifications, Item no. 17, page 49 is hereby amended to be read as follows:

| Item | Original Provision | Provision as Amended |
|---|---|---|
| Long Conference Table (20seater) | Material: 30 mm HPL Laminated Finish top, 25mm legs and modesty panel w/ Built in Outlet and Wire Management Dimension (± 10mm): W 5600mm-5700mm D 1400mm H 750mm Color: Oak Grey QTY: 9 units | Material: 30 mm HPL Laminated Finish in 2mm PVC Edge band, Metal legs in 2x2 metal steel powder coated finish w/ gliders and Built in Outlet and Wire Management Dimension (± 100mm): W 6000mm-6400mm D 1400mm-1600mm H 750mm Color: Beech Stained Oak QTY: 9 units |

All other provisions not herein modified shall remain in full force and effect.

For your information and guidance.

JOCELYN DR ANDAYA

Assistant Secretary and BAC III Chairperson

